

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : Cargo 4100 Forte
Product code : J62

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use
Use of the substance/mixture : Vehicle cleaning/vehicle care product
See product bulletin for detailed information

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Manufacturer

CID LINES NV
Waterpoortstraat, 2
B-8900 Ieper - Belgique
T + 32 57 21 78 77 - F +32 57 21 78 79
sds@cidlines.com - <http://www.cidlines.com>

1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Australia	Poisons Information Centre		13 11 26	
New Zealand	The National Poisons Centre	University of Otago, 2nd Floor, Adams Building, 18 Frederick Street, 9016 Dunedin	0800 764 766 0800 POISON	
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER London	0870 243 2241	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 1A H314

Serious eye damage/eye irritation, Category 1 H318

1

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05

Signal word (CLP) :

Danger

Hazard statements (CLP) :

H314 - Causes severe skin burns and eye damage.

Precautionary statements (CLP) :

P102 - Keep out of reach of children.
P260 - Do not breathe vapours, spray.
P280 - Wear Eye protection, protective gloves, protective clothing.
P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Cargo 4100 Forte

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

P310 - Immediately call a POISON CENTER/doctor
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Tetrasodiummethylenediaminetetraacetate	(CAS-No.) 64-02-8 (EC-No.) 200-573-9 (REACH-no) 01.2119486762.27	5 - 15	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
Alcohols, C10-16, ethoxylated, sulfates, sodium salts	(CAS-No.) 68585-34-2 (EC-No.) 500-223-8 (REACH-no) 01-2119488639-16	5 - 15	Skin Irrit. 2, H315 Eye Irrit. 2, H319
Sodium hydroxide	(CAS-No.) 1310-73-2 (EC-No.) 215-185-5 (EC Index-No.) 11-002-00-6 (REACH-no) 01-2119457892-27	1 - 5	Met. Corr. 1, H290 Skin Corr. 1A, H314 Eye Dam. 1, H318
Potassium hydroxide	(CAS-No.) 1310-58-3 (EC-No.) 215-181-3 (EC Index-No.) 19-002-00-8 (REACH-no) 01-2119487136-33	1 - 5	Met. Corr. 1, H290 Acute Tox. 4 (Oral), H302 Skin Corr. 1A, H314

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Assure fresh air breathing. Allow the victim to rest. Seek medical attention immediately.
First-aid measures after skin contact : Seek medical advice. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
First-aid measures after eye contact : Rinse immediately with plenty of water. Seek medical attention immediately.
First-aid measures after ingestion : Rinse mouth. Do not induce vomiting because of corrosive effects. Take to hospital.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : Breathing difficulties. Cough. Sore throat.
Symptoms/effects after skin contact : Causes burns. Redness, pain.
Symptoms/effects after eye contact : Redness, pain. Blurred vision. Tears. Risk of serious damage to eyes.
Symptoms/effects after ingestion : Cough. Swallowing a small quantity of this material will result in serious health hazard. Burning sensation. Cramps. May cause burns or irritation of the linings of the mouth, throat, and gastrointestinal tract. Must not come into contact with food or be consumed.

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

SECTION 5: Firefighting measures

5.1. Extinguishing media

No additional information available

5.2. Special hazards arising from the substance or mixture

Fire hazard : Not flammable.
Explosion hazard : Not expected to be a fire/explosion hazard under normal conditions of use.

5.3. Advice for firefighters

Precautionary measures fire : Exercise caution when fighting any chemical fire. Do not enter fire area without proper protective equipment, including respiratory protection. Wear fire/flame resistant/retardant clothing. Heat resistant gloves.
Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire.

Cargo 4100 Forte

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Spill should be handled by trained cleaning personnel properly equipped with respiratory and eye protection.

6.1.1. For non-emergency personnel

No additional information available

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect in closed and suitable containers for disposal.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes. Wear personal protective equipment. Do not breathe vapour/aerosol. Provide good ventilation in process area to prevent formation of vapour.

Hygiene measures : Keep away from food, drink and animal feeding stuffs. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool well ventilated place. Keep container closed when not in use. Do not store in corrodable metal.

Storage area : Store away from heat. Protect from freezing.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Sodium hydroxide (1310-73-2)		
United Kingdom	Local name	Sodium hydroxide
United Kingdom	WEL STEL (mg/m ³)	2 mg/m ³
United Kingdom	Regulatory reference	EH40. HSE
USA - OSHA	OSHA PEL (TWA) (mg/m ³)	2 mg/m ³
Potassium hydroxide (1310-58-3)		
United Kingdom	Local name	Potassium hydroxide
United Kingdom	WEL STEL (mg/m ³)	2 mg/m ³
United Kingdom	Regulatory reference	EH40. HSE

Sodium hydroxide (1310-73-2)	
DNEL/DMEL (Workers)	
Long-term - local effects, inhalation	1 mg/m ³
DNEL/DMEL (General population)	
Long-term - local effects, inhalation	1 mg/m ³
Potassium hydroxide (1310-58-3)	
DNEL/DMEL (Workers)	
Long-term - systemic effects, inhalation	1 mg/m ³
DNEL/DMEL (General population)	
Long-term - systemic effects, inhalation	1 mg/m ³

8.2. Exposure controls

Materials for protective clothing:

Condition	Material	Standard
Good resistance:	Natural fibres	EN14605:2005+A1:2009

Cargo 4100 Forte

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hand protection:

Gloves. Chemical resistant PVC gloves (to European standard EN 374 or equivalent)

Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Reusable gloves	Polyvinylchloride (PVC)	6 (> 480 minutes)	0.5	2 (< 1.5)	EN 374

Eye protection:

Field of use: B. Mechanical Strength: 3

Type	Use	Characteristics	Standard
Safety glasses, Safety goggles	Dust, Droplet	clear, Plastic	EN 166

Skin and body protection:

Wear suitable protective clothing

Type	Standard
protective clothing	EN14605:2005+A1:2009

Respiratory protection:

Approved dust or mist respirator should be used if airborne particles are generated when handling this material. Full-/half-/quarter-face masks (DIN EN 136/140)

Device	Filter type	Condition	Standard
Full face mask	Filter type A/P2	Vapour protection	EN 132, EN 140

Personal protective equipment symbol(s):



Other information:

When using do not eat, drink or smoke. Provide local exhaust or general room ventilation.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Yellow.
Odour	: No data available
Odour threshold	: No data available
pH	: ca 12 (1%)
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: ≈ 1.21 kg/l
Solubility	: Water: 100 %
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available

Cargo 4100 Forte

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Thermal decomposition generates : Corrosive vapours.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

None under normal conditions.

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Thermal decomposition generates : Corrosive vapours.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified
Skin corrosion/irritation : Causes severe skin burns and eye damage.
pH: ca 12 (1%)
Serious eye damage/irritation : Causes serious eye damage.
pH: ca 12 (1%)
Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
STOT-single exposure : Not classified
STOT-repeated exposure : Not classified
Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

Acute aquatic toxicity : Not classified
Chronic aquatic toxicity : Not classified

12.2. Persistence and degradability

Cargo 4100 Forte

Persistence and degradability	The surfactant contained in this preparation complies with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.
-------------------------------	---

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

Cargo 4100 Forte

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

Cargo 4100 Forte

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) : Dispose in a safe manner in accordance with local/national regulations.
European List of Waste (LoW) code : 07 06 01* - aqueous washing liquids and mother liquors

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) : 3266
UN-No. (IMDG) : 3266
UN-No. (IATA) : 3266
UN-No. (ADN) : 3266
UN-No. (RID) : 3266

14.2. UN proper shipping name

Proper Shipping Name (ADR) : CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Potassium hydroxide ; Sodium hydroxide)
Proper Shipping Name (IMDG) : CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Potassium hydroxide ; Sodium hydroxide)
Proper Shipping Name (IATA) : CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Potassium hydroxide ; Sodium hydroxide)
Proper Shipping Name (ADN) : CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Potassium hydroxide ; Sodium hydroxide)
Proper Shipping Name (RID) : CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Potassium hydroxide ; Sodium hydroxide)
Transport document description (ADR) : UN 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Potassium hydroxide ; Sodium hydroxide), 8, III, (E)
Transport document description (IMDG) : UN 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Potassium hydroxide ; Sodium hydroxide), 8, III
Transport document description (IATA) : UN 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Potassium hydroxide ; Sodium hydroxide), 8, III
Transport document description (ADN) : UN 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Potassium hydroxide ; Sodium hydroxide), 8, III
Transport document description (RID) : UN 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Potassium hydroxide ; Sodium hydroxide), 8, III

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 8
Danger labels (ADR) : 8



IMDG

Transport hazard class(es) (IMDG) : 8
Danger labels (IMDG) : 8



IATA

Transport hazard class(es) (IATA) : 8
Hazard labels (IATA) : 8

Cargo 4100 Forte

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



ADN

Transport hazard class(es) (ADN) : 8
Danger labels (ADN) : 8



RID

Transport hazard class(es) (RID) : 8
Danger labels (RID) : 8



14.4. Packing group

Packing group (ADR) : III
Packing group (IMDG) : III
Packing group (IATA) : III
Packing group (ADN) : III
Packing group (RID) : III

14.5. Environmental hazards

Dangerous for the environment : No
Marine pollutant : No
Other information : Clean up even minor leaks or spills if possible without unnecessary risk

14.6. Special precautions for user

Special transport precautions : The driver shall not attempt to deal with any fire of the load, No naked lights. No smoking, Keep public away from danger area, NOTIFY POLICE AND FIRE BRIGADE IMMEDIATELY

- Overland transport

Classification code (ADR) : C5
Special provisions (ADR) : 274
Limited quantities (ADR) : 5I
Excepted quantities (ADR) : E1
Packing instructions (ADR) : P001, IBC03, LP01, R001
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T7
Portable tank and bulk container special provisions (ADR) : TP1, TP28
Tank code (ADR) : L4BN
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Hazard identification number (Kemler No.) : 80

Cargo 4100 Forte

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Orange plates : 

Tunnel restriction code (ADR) : E
EAC code : 2X
APP code : B

- Transport by sea

Special provisions (IMDG) : 223, 274
Limited quantities (IMDG) : 5 L
Excepted quantities (IMDG) : E1
Packing instructions (IMDG) : P001, LP01
IBC packing instructions (IMDG) : IBC03
Tank instructions (IMDG) : T7
Tank special provisions (IMDG) : TP1, TP28
EmS-No. (Fire) : F-A
EmS-No. (Spillage) : S-B
Stowage category (IMDG) : A
Stowage and handling (IMDG) : SW2
Segregation (IMDG) : SG35
Properties and observations (IMDG) : Reacts violently with acids. Causes burns to skin, eyes and mucous membranes.
MFAG-No : 153

- Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y841
PCA limited quantity max net quantity (IATA) : 1L
PCA packing instructions (IATA) : 852
PCA max net quantity (IATA) : 5L
CAO packing instructions (IATA) : 856
CAO max net quantity (IATA) : 60L
Special provisions (IATA) : A3
ERG code (IATA) : 8L

- Inland waterway transport

Classification code (ADN) : C5
Special provisions (ADN) : 274
Limited quantities (ADN) : 5 L
Excepted quantities (ADN) : E1
Carriage permitted (ADN) : T
Equipment required (ADN) : PP, EP
Number of blue cones/lights (ADN) : 0

- Rail transport

Classification code (RID) : C5
Special provisions (RID) : 274
Limited quantities (RID) : 5L
Excepted quantities (RID) : E1
Packing instructions (RID) : P001, IBC03, LP01, R001
Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T7
Portable tank and bulk container special provisions (RID) : TP1, TP28
Tank codes for RID tanks (RID) : L4BN
Transport category (RID) : 3
Special provisions for carriage – Packages (RID) : W12
Colis express (express parcels) (RID) : CE8

Cargo 4100 Forte

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hazard identification number (RID) : 80

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Other information, restriction and prohibition regulations : Ensure all national/local regulations are observed.

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Other information : The information provided in this Technical Safety Data Sheet is correct to the best of our knowledge and while we endeavor to keep the information up to date and correct according to the state of the art, we make no representations or warranties of any kind, express or implied, about the completeness, accuracy, reliability or suitability with respect to the information contained in this technical data sheet. Any reliance you place on such information is therefore strictly at your own risk. In no event will we be liable for any loss or damage (including, without limitation, indirect or consequential loss or damage, or any loss or damage whatsoever arising from loss of profits) arising out of, or in connection with, the use of this information and /or the use, handling, processing or storage of the product. Always consult the Safety Data Sheet and product label for more info about security.

Full text of H- and EUH-statements:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Met. Corr. 1	Corrosive to metals, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
Skin Irrit. 2	Skin corrosion/irritation, Category 2
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.

SDSCLP3

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product