

Product Name: CHIEFS FULL FORCE DEGREASER

Date of Issue: AUG 2024 Page 1 of Total 6

SECTION 1 – STATEMENT OF CHEMICAL PRODUCT AND COMPANY IDENTIFICATION			
SUPPLIER:	Chiefs Australia		
ADDRESS:	3/6 Textile Ave, Warana Qld 4575		
Trade Name:	CHIEF'S FULL FORCE DEGREASER		
TELEPHONE:	07 5493 8868	MOBILE: 0476 350 552	
AH EMERGENCY TELEPHONE:	1300 774 575 in Australia (M-F 7am-7pm)	Synonym:	FFD
Substance:	Water based detergent	Product Use:	Degreaser
Creation Date:	August 2024	Revision Date:	August 2029

SECTION 2 – HAZARDS IDENTIFIC	ATION	
Classification of the substance	or mixture	
Dangerous Goods	Classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail".	
GHS Classification	Corrosive to Metals - Category 1	
	Skin Corrosion - Category 1C	
	Eye Damage - Category 1	
Poisons Schedule	S5 (Sodium Hydroxide)	
Label elements		
GHS label pictograms		
Signal word	DANGER	
Hazard statement(s)		
H290	May be corrosive to metals.	
H314	Causes severe skin burns and eye damage.	
Precautionary statement(s): Ge	neral	
P102	Keep out of reach of children.	
P103	Read carefully and follow all instructions.	
Precautionary statement(s): Pro	evention	
P234	Keep only in original packaging.	
P260	Do not breathe mists.	
P264	Wash hands, face and all exposed skin thoroughly after handling.	
P280	Wear protective gloves, protective clothing and eye protection.	
Precautionary statement(s): Re	sponse	
P101	If medical advice is needed, have product container or label at hand.	
P390	Absorb spillage to prevent material damage.	
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.	
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.	
P363	Wash contaminated clothing before reuse.	
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
P310	Immediately call a POISON CENTRE or doctor.	



Product Name: CHIEFS FULL FORCE DEGREASER

Date of Issue: AUG 2024 Page 2 of Total 6

P321	Specific treatment (see first aid section of this SDS).	
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if	
	present and easy to do. Continue rinsing.	
P390	Absorb spillage to prevent material damage.	
Precautionary statement(s): Storage		
P405	Store locked up.	
P406	Store in corrosive resistant container with a resistant inner liner.	
Precautionary statement(s): Disposal		
P501	Dispose of contents and container in accordance with local regulations.	
Note		
IMPORTANT	This SDS and the Hazard Classifications contained therein, only apply to the product in its concentrated form, as supplied.	

Ingredients:	CAS Number:	Proportion (%w/w):
Sodium Hydroxide	1310-73-2	< 5%
Sodium Metasilicate, Anhydrous	6834-92-0	<5%
Ingredients determined to be non- hazardous at the concentrations used (including water)	various	balance

SECTION 4 – FIRST AID M	EASURES
Inhalation	Remove person to fresh air away from exposure. Remove contaminated clothing and loosen remaining clothing. Allow person to assume most comfortable position and keep warm. Keep at rest until fully recovered. Obtain medical attention if symptoms occur.
Skin contact	If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. If swelling, redness, blistering or irritation occurs seek medical assistance. For gross contamination, immediately drench with water and remove clothing. Continue to flush skin and hair with plenty of water (and soap if material is insoluble). For skin burns, cover with a clean, dry dressing until medical help is available. If blistering occurs, do NOT break blisters. If swelling, redness, blistering, or irritation occurs seek medical assistance.
Eye contact	Immediately irrigate with copious quantities of water for 15 minutes. Eyelids to be held open. Remove clothing if contaminated and wash skin. Urgently seek medical assistance. Transport to hospital or medical centre.
Ingestion	Do NOT induce vomiting. Do NOT attempt to give anything by mouth to an unconscious person. Rinse mouth thoroughly with water. Give water to drink. If vomiting occurs, give further water to achieve effective dilution. Seek medical advice (e.g., doctor).
Advice to Doctor	Treat symptomatically
First Aid Facilities	Eye wash station. Normal washroom facilities.

SECTION 5 – FIRE FIGHTING MEASURES		
Fire and Explosion	Non-flammable liquid. However, on evaporation of the aqueous component, the residual material	
Hazards	may burn.	
Extinguishing Media	Use an extinguishing media suitable for surrounding fires. Use carbon dioxide (CO ₂) fire	
	extinguisher, water fog or alcohol resistant foam or fine water spray.	
Fire Fighting	Keep containers exposed to extreme heat cool with water spray. Fire fighters to wear self-	
	contained breathing apparatus if risk of exposure to products of combustion or decomposition.	
Flash Point	Does not flash	
Hazchem	2R	



Product Name: CHIEFS FULL FORCE DEGREASER

Date of Issue: AUG 2024 Page 3 of Total 6

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Emergency Procedures

Wear PPE in accordance with Section 8 of this SDS. Minor spills Avoid inhalation of vapours or dust. Wipe up with absorbent (clean rag or paper towels). Collect and seal in properly labelled containers or drums for disposal.

In the event of a major spill, prevent spillage from entering drains or water courses. Wear appropriate personal protective equipment and clothing to prevent exposure. Increase ventilation. As a water-based product, if spilt on electrical equipment the product will cause short-circuits. If possible, contain the spill. Place inert absorbent material onto spillage. Collect the material and place into a suitable labelled container. Dispose of waste according to the applicable local and national regulations. If contamination of sewers or waterways occurs inform the local water and waste management authorities in accordance with local regulations.

SECTION 7 – HANDLING AND STORAGE		
Handling	Avoid skin or eye contact with concentrate. Wear protective clothing when risk of exposure occurs. Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke. Keep containers closed at all times. Avoid physical damage to containers. Always wash hands with water after handling. Launder contaminated clothing before re-use.	
Storage	Store in a cool, dry, well-ventilated place and out of direct sunlight. Store away from foodstuffs. Store away from incompatible materials described in Section 10. Store away from sources of heat and/or ignition. Store locked up. Store in corrosive resistant container with a resistant inner liner. Keep container standing upright. Keep containers closed when not in use - check regularly for leaks	

This material is classified as a Class 8 Corrosive as per the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail" and/or the "New Zealand NZS5433: Transport of Dangerous Goods on Land" and must be stored in accordance with the relevant regulations.

Exposure Limits	National Occupational Exposure Limits, as published by Safe Work Australia:
•	Time-weighted Average (TWA):
	None established for product.
	For ingredients:
	• Sodium Hydroxide: 2 mg/m³ (peak)
	Short Term Exposure Limit (STEL):
	None established for product.
Ventilation	No special requirements. Ensure adequate ventilation in use.
Personal Protective	Use good occupational work practice. The use of protective clothing and equipment depends upon
Equipment	the degree and nature of exposure. The following protective equipment should be available;
Eye Protection	Safety glasses or chemical goggles should be used for handling concentrate in quantity, cleaning
	up spills, decanting, etc. A face shield is recommended as supplementary protection only. Eye
	protection devices should conform to relevant regulations. Eye protection should conform with
	Australian/New Zealand Standard AS/NZS 1337 - Eye Protectors for Industrial Applications.
Hand Protection	Wear gloves of impervious material such as nitrile – to handle in quantity, clean up spills,
	decanting, etc. Final choice of appropriate gloves will vary according to individual circumstances
	(i.e., methods of handling or according to risk assessments undertaken). Occupational protective
	gloves should conform to relevant regulations. Reference should be made to AS/NZS 2161.1:
	Occupational protective gloves - Selection, use and maintenance.



Product Name: CHIEFS FULL FORCE DEGREASER

Date of Issue: AUG 2024 Page 4 of Total 6

Body Protection





Suitable protective workwear, e.g., rubber or plastic apron, sleeves, boots and cotton overalls buttoned at neck and wrist are recommended. Chemical resistant apron is recommended where large quantities are handled.

Respirator

If engineering controls are not effective in controlling airborne exposure, then an approved respirator with a replaceable mist filter should be used. Refer to relevant regulations for further information concerning respiratory protective requirements. Reference should be made to Australian Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES			
Physical State	Liquid	Colour	Red
Odour	Nil	Specific Gravity	Not available
Boiling Point	Approximately 100 °C	Freezing Point	Approximately 0 °C
Vapour Pressure	Not available	Vapour Density	Not available
Flash Point	Non-flammable	Flammable Limits	none
Water Solubility	Miscible in all proportions	рН	13.5

SECTION 10 – STABILITY AND REACTIVITY		
Reactivity	Stable at normal temperatures and pressure. Reacts violently with acids. Corrosive to metals.	
Conditions to Avoid	Extremes of temperature and direct sunlight.	
Incompatibilities	Acids, ammonium salts and metals	
Hazardous	Thermal decomposition may result in the release of toxic and/or irritating fumes. Contact with	
Decomposition	metals may evolve flammable hydrogen gas.	

SECTION 11 – TOXICOLOGICAL INFORMATION		
POTENTIAL HEALTH EFFECTS		
No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label.		
Symptoms or effects that m	ay arise if the product is mishandled and overexposure occurs are:	
Inhalation	Inhalation of mists or aerosols can produce mucous membrane and respiratory irritation and possible burns. Exposure to high concentrations of the product in liquid form or as a mist may lead	
	to possible harmful irritation effects.	
Skin contact	Contact with skin may cause irritation and possible burns. Severity depends on the concentration and duration of exposure.	
Eye contact	Corrosive to eyes: contact can cause corneal burns. Contamination of eyes can result in permanent damage.	
Ingestion	Swallowing may result in nausea, irritation and possible burns.	
Chronic exposure	Causes burns to skin and eyes.	
Toxicology Information	Not toxic, based on ingredient calculated values.	
Carcinogen Status		
SWA	No significant ingredient is classified as carcinogenic by SWA.	
Respiratory Sensitisation	Not expected to be a respiratory sensitizer.	
Skin Sensitisation	Not expected to be a skin sensitizer.	
Germ cell mutagenicity	Not considered to be a mutagenic hazard.	
Reproductive Toxicity	Not considered to be toxic to reproduction.	
STOT-single exposure	Not expected to cause toxicity to a specific target organ.	
STOT-repeated exposure	Not expected to cause toxicity to a specific target organ.	
Aspiration Hazard	Not expected to be an aspiration hazard.	



Product Name: CHIEFS FULL FORCE DEGREASER

Date of Issue: AUG 2024 Page 5 of Total 6

SECTION 12 – ECOLOGICAL INFORMATION		
Eco-toxicity	Expected to be harmful to aquatic life due to high pH.	
Product		
Persistence and	No information available	
degradability	No information available	
Bio accumulative	No bioaccumulation is expected.	
potential	No bioaccumulation is expected.	
Mobility in soil	Due to its physicochemical characteristics, highly mobile in the environment and will partition to	
	the aquatic compartment.	
Other adverse effects	Not information available	
Environmental Protection	Do not discharge this material into waterways.	

SECTION 13 – DISPOSAL CONSIDERATIONS

Dispose of waste according to applicable local and national regulations. Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes including emptied containers are controlled wastes and should be disposed of in accordance with all applicable local and national regulations.

SECTION 14 – TRANSPORT INFORMATION		
ADG	Classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of	
	Dangerous Goods by Road & Rail".	
Marine Pollutant	No	
Land Transport (ADG)		
UN Number	1719	
Proper Shipping Name	CAUSTIC ALKALI LIQUID (CONTAINS SODIUM HYDROXIDE)	
Class	8	
HAZCHEM Code	2R	
Packing Group	III	
ERG	37	
Limited Quantity	5L	
Segregation	Not to be loaded with explosives (Class 1), dangerous when wet substances (Class 4.3), oxidising	
	agents (Class 5.1), organic peroxides (Class 5.2), radioactive substances (Class 7) or food and	
	food packaging in any quantity. Note 1: Concentrated strong alkalis are incompatible with	
	concentrated strong acids. Exemptions may apply.	

SECTION 15 – REGULATORY INFORMATION		
GHS Classification	Classified as Hazardous according to the Globally Harmonised System of Classification and	
	labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.	
SUSMP	S5 (Sodium Hydroxide)	
ADG Code	Classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of	
	Dangerous Goods by Road & Rail".	
AICS	All ingredients present on AICS	

SECTION 16 – OTHER INFORMATION		
Issue Date	August 2024	
Version Number	V1: first issue	
Abbreviations and	ADG Code: Australian Code for the Transport of Dangerous Goods by Road and Rail.	
acronyms	AICS: Australian Inventory of Chemical Substances.	
	CAS Number: Chemical Abstracts Service Registry Number.	



Product Name: CHIEFS FULL FORCE DEGREASER

Date of Issue: AUG 2024 Page 6 of Total 6

	GHS : Globally Harmonized System of Classification and Labelling of Chemicals	
	HAZCHEM: An emergency action code of numbers and letters which gives information to emergency	
	services.	
	HCIS: Hazardous Chemical Information System	
	SWA: Safe Work Australia.	
	SDS: Safety Data Sheet	
	STEL: Short Term Exposure Limit.	
	SUSMP: Standard for the Uniform Scheduling of Medicines and Poisons.	
	TWA: Time Weighted Average.	
	UN Number: United Nations Number.	
Literature references	Preparation of Safety Data Sheets for Hazardous Chemicals – Code of Practice (Safe Work Australia)	
	GHS Hazardous Chemical Information List (Safe Work Australia)	
	Guidance on the Classification of Hazardous Chemicals under the WHS Regulations.	
	Global Harmonized System of Classification and Labelling of Chemicals (GHS)	
	"Australian Exposure Standards". Safe Work Australia	
	Australian Code for The Transport of Dangerous Goods by Road and Rail	
	Standard for the Uniform Scheduling of Medicines and Poisons	
	Safety Data Sheets – individual raw materials – Suppliers	
	HCIS – Hazardous Chemical Information System – National Safe Work Australia Data Base.	
Disclaimer	This SDS summarizes at the date of issue our best knowledge of the health and safety hazard information of this product, and in particular how to safely handle and use this product in the workplace. Since the supplier cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, review this SDS in the context of how the user intends to handle and use the product in the workplace. If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact this supplier.	
End of SDS		